

## IVDR Transition –Phase 1

EXISTING IVD/CE PART #	NEW IVD/CE PART #	DESCRIPTION	CLASS	ASSOCIATED RUO PART #	CLASS
MDZ002	NATCT(434)-6MC-IVD	NATtrol Chlamydia trachomatis Positive Control Pack (6 X 1.25 mL)	IVD CE	NATCT(434)-6MC	RUO
MDZ003	NATNG-6MC-IVD	NATtrol Neisseria gonorrhoeae Positive Control Pack (6 X 1.25 mL)	IVD CE	NATNG-6MC	RUO
MDZ004	NATCT/NGNEG-6MC-IVD	NATtrol CT/NG Negative Control Pack (6 X 1.25 mL)	IVD CE	NATCT/NGNEG-6MC	RUO
MDZ040	NATCDI-6MC-IVD	NATtrol Clostridium difficile Positive Control (6 X 0.5 mL)	IVD CE	NATCDI-6MC	RUO
MDZ041	NATCSO-6MC-IVD	NATtrol Clostridium difficile Negative Control (6 X 0.5 mL)	IVD CE	NATCSO-6MC	RUO
MDZ045	NATCXVA9-6C-IVD	NATtrol Influenza/RSV Negative Control (6 X 0.5 mL)	IVD CE	NATCXVA9-6C	RUO
MDZ046	NATFLUAB-6C-IVD	NATtrol Influenza A/B Positive Control (6 X 0.5 mL)	IVD CE	NATFLUAB-6C	RUO
MDZ047	NATRSV-6C-IVD	NATtrol RSV Positive Control (6 X 0.5 mL)	IVD CE	NATRSV-6C	RUO
MDZ049	NATNOV-6MC-IVD	NATtrol Norovirus GI/GII Positive Control (6 X 0.5 mL)	IVD CE	NATNOV-6MC	RUO
MDZ050	NATNOVI-6MC-IVD	NATtrol Norovirus GI Positive Control (6 X 0.5 mL)	IVD CE	NATNOVI-6MC	RUO
MDZ051	NATNOVII-6MC-IVD	NATtrol Norovirus GII Positive Control (6 X 0.5 mL)	IVD CE	NATNOVII-6MC	RUO
MDZ052	NATROTA-6MC-IVD	NATtrol Norovirus Negative Control (6 X 0.5 mL)	IVD CE	NATROTA-6MC	RUO
MDZ053	NATSAG-6MC-IVD	NATtrol GBS Positive Control (6 X 0.5 mL)	IVD CE	NATSAG-6MC	RUO
MDZ054	NATLAC--6MC-IVD	NATtrol GBS Negative Control (6 X 0.5 mL)	IVD CE	NATLAC--6MC	RUO
MDZ055	NATEVPOS-6MC-IVD	NATtrol EV Positive Control (6 X 0.5 mL)	IVD CE	NATEVPOS-6MC	RUO
MDZ056	NATEVNEG-6MC-IVD	NATtrol EV Negative Control (6 X 0.5 mL)	IVD CE	NATEVNEG-6MC	RUO
MDZ059	NATMRSA-6MC-IVD	NATtrol MRSA Positive Control (6 X 0.5 mL)	IVD CE	NATMRSA-6MC	RUO
MDZ060	NATMSSE-6MC-IVD	NATtrol MRSA/SA Negative Control (6 X 0.5 mL)	IVD CE	NATMSSE-6MC	RUO
MDZ061	NATMSSA-6MC-IVD	NATtrol SA Positive Control (6 X 0.5 mL)	IVD CE	NATMSSA-6MC	RUO