



**NATtrol™ *Staphylococcus aureus* (MRSA) External Run Controls
Strain: COL**

Catalog Number: NATSAU(MRSA)-ERCL

Catalog Number: NATSAU(MRSA)-ERCM

PRODUCT DESCRIPTION:

NATtrol™ *Staphylococcus aureus* (MRSA) External Run Controls (NATSAU(MRSA)-ERCL and NATSAU(MRSA)-ERCM)* are formulated with purified, intact bacterial cells that have been chemically modified to render them non-infectious and refrigerator stable. Each control pack contains 6 x 1.0 mL vials of *S. aureus* (MRSA) NATtrol™ at target concentrations listed in Table 1. These controls are supplied in a purified protein matrix that mimics the composition of a true clinical specimen.

*Pat.: <http://www.zeptometrix.com/patent-information/>

INTENDED USE:

- NATtrol™ *Staphylococcus aureus* (MRSA) External Run Controls are designed to evaluate the performance of nucleic acid tests for determination of the presence of *S. aureus* DNA. NATSAU(MRSA)-ERCL and NATSAU(MRSA)-ERCM can also be used for validation of clinical assays, development of diagnostic tests and training of laboratory personnel.
- NATSAU(MRSA)-ERCL & NATSAU(MRSA)-ERCM contain intact organisms and should be run in a manner identical to that used for clinical specimens.

ETIOLOGIC STATUS/BIOHAZARD TESTING:

- NATtrol™ inactivation was carried out on the *S. aureus* stock used to formulate each control pack. The inactivation was verified by the absence of bacterial growth in a validated growth protocol.
- Purified protein matrix used in the manufacture of this product is treated with 0.09% sodium azide. It was manufactured from materials that have been tested and found non-reactive at the donor level for HIV-1/HIV-2 Antibody, HBsAg and HCV Antibody by FDA licensed donor screening test methods. All materials are also tested for HIV-1 and HCV by FDA approved Nucleic Acid Test (NAT) methods. Heat inactivated bovine based source materials used in the manufacture of this product meet applicable USDA requirements for abattoir sourced animals, traceability and country of origin. The materials were collected at USDA licensed establishments or legally imported from countries recognized by the USDA as negligible or controlled for risk for Bovine Spongiform Encephalopathy (BSE) and other exotic disease agents. Donor animals were inspected ante and post mortem at the abattoir as required by the USDA.

PRECAUTIONS:

- Although NATSAU(MRSA)-ERCL & NATSAU(MRSA)-ERCM contain inactivated organisms, they should be handled as if potentially infectious.
- Use Universal Precautions when handling this product.
- To avoid cross-contamination, use separate pipette tips for all reagents.

RECOMMENDED STORAGE:

- NATtrol™ *Staphylococcus aureus* (MRSA) External Run Controls should be stored at 2-8°C.

INSTRUCTIONS FOR USE:

- Extract *S. aureus* (MRSA) DNA prior to use in downstream assays.

TABLE 1

Catalog Number	Target Concentration (cfu/mL)**
NATSAU(MRSA)-ERCL	5,000
NATSAU(MRSA)-ERCM	50,000

**Quantitation based on in-house real time PCR assay targeting Nuclease (*nuc*) gene region.

DO NOT USE IN HUMANS. FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.

These products are intended for research, product development, quality assurance or manufacturing use. These products are NOT intended for use in the manufacture or processing of injectable products subject to licensure under section 351 of the Public Health Service Act or for any other product intended for administration to humans.

This product was manufactured in a facility which has a Quality Management System that is ISO 13485 certified.

REF	Catalog Number		Temperature Limitation
LOT	Lot Number		Expiration Date
	Biological Risk	RUO	For Research Use Only

ZeptoMetrix Corporation
878 Main Street
Buffalo, NY 14202
800-274-5487
www.zeptometrix.com

PINATSAU(MRSA)-ERCM
PINATSAU(MRSA)-ERCL
Revision: 07
Effective Date: 03/30/2019